

STAINLESS STEEL

WESCO[®]
Industrial Products, Inc.

1250 Welsh Rd., North Wales, PA 19454
Phone: 215-699-7031
Fax: 215-699-3836
<http://www.wescomfg.com>

WESCO STAINLESS STEEL SHELF CARTS



- **430 stainless steel** shelf and frame construction.
- NSF Approved.
- 4 swivel, zinc plated casters with non-marking rubber tread polyurethane hub wheels.
- Three shelves:
 - .040" thick
 - top and center 1" lip, 3 sides
 - bottom, flat, no lip.
- Welded construction.
- Protection bumpers on legs and handle.
- Shelves have reinforced hemmed front.
- Overall capacity based upon evenly distributed loads.*



260290
300 lb. capacity



260292
500 lb. capacity



260291
300 lb. capacity



260294
500 lb. capacity



260293
500 lb. capacity

NSF Approved

Part # Model #	260290 SS3C11	260291 SS3C22	260292 SS4C11	260293 SS4C22	260294 SS4C44
*Overall Capacity	300 lbs	300 lbs	500 lbs	500 lbs	500 lbs
Capacity Per Shelf	100 lbs	100 lbs	166 lbs	166 lbs	166 lbs
Shelf Size (L x W)	24" x 15.5"	27.125" x 17.625"	24" x 15.75"	27.375" x 18"	35.125" x 21"
Shelf Lip Height	1"	1"	1"	1"	1"
Distance Between Shelves	12.75"	13.25"	12.5" top/14.625" bottom	13" top/14.5" bottom	14.375" top/14.5" bottom
Caster Wheel	3.5" dia. x .75" W	3.5" dia. .75" W	4" dia. x .75" W	4" dia. x .75" W	5" dia. x 1.25" W
Weight	30.5 lbs	40 lbs	36 lbs	42 lbs	67 lbs



WESCO STAINLESS STEEL MANUAL HIGH LIFTS

- 1 year pump warranty.
- 304 stainless steel construction. Forks are 316 stainless steel.
- Nylon 3" load (WHL-2) and 8" nylon steering (WHL-1) wheels.
- 180° steering arc.
- Loop handles with inside hand control.
- Closed pallets must be placed on top of forks.
- 6 1/2" wide forks.
- Overload bypass.
- Two stage pump: number of strokes to full height (unloaded): Standard - 69. Quick Lift - 28.



QUICK LIFT
setting allows operator to raise the height of the lift with fewer strokes.



Manual High Lift
Part #272859 / Model #SSTHL27M



Part # Model #	272859 SSTHL27M	272860 SSTHL27E
Capacity	2,200 lbs	2,200 lbs
W-1 x L-1	27" x 46"	27" x 46"
W-2	6.5"	6.5"
L-2	61"	61"
WHL-1 / WHL-2	8" / 3"	8" / 3"
H-1 / H-2 / H-3	48" / 3.3" / 31.5"	48" / 3.3" / 31.5"
Weight	278 lbs	329 lbs

WESCO STAINLESS STEEL ELECTRIC HIGH LIFTS

- 1 year pump warranty.
- 304 stainless steel construction. Forks are 316 stainless steel.
- Nylon 3" load (WHL-2) and 8" nylon steering (WHL-1) wheels.
- 12 volt battery charger included.
- 10-12 second lift time unloaded.
- Overload bypass.
- 180° steering radius.
- 6 1/2" wide forks.
- Telescoping pump piston.




Electric High Lift
Part #272860 / Model #SSTHL27E




WESCO 304 STAINLESS STEEL PALLET TRUCK

- 1 year pump warranty.
- 304 stainless construction.
- For use in food industry and areas where water or other corrosive solutions are needed.
- 6 1/4" wide forks.
- 7" nylon steering wheels.
- 3" nylon load wheels.
- Nylon entry roller.
- Comfort-grip coated handle.
- 210° steering radius.

Part # Model #	272152 SSPT
Capacity	5,500 lbs
W-1 x L-1	27" x 48"
W-2	6.25"
L-2	62.5"
WHL-1 / WHL-2	7" / 3"
H-1 / H-2 / H-3	47.5" / 3" / 7.25"
Weight	164lbs



Pallet Truck
Part #272152 / Model #SSPT



WESCO 304 STAINLESS STEEL HYDRAULIC PEDALIFT

- **1 Year Parts Warranty.**
- **Wesco Manufactured Hydraulic Jack - Over 40 Years of Proven Quality.**
- **4-wheeled model.**
- **304 stainless steel construction including hydraulic pump body, lift piston, and wheel lock. Foot operated hydraulic pump raises platform, foot release lowers platform and controls lowering speed.**
- **Platform sits 5.75" above floor.**
- **Wheel lock standard.**
- **60.5" overall height.**
- **8" x 2" polyurethane tread on polypropylene hub, non-marking wheels with 440 stainless sealed 3/4" precision ball bearing.**
- **304 stainless swivel casters with plain bore 3.5" hard rubber wheels.**



4-Wheeled Pedalift
Part #260186
Model #SSDPL-54-2222



Part #	260186	260197
Model #	SSDPL-54-2222	SSDPL-54-F
Capacity	750 lbs	750 lbs
Platform or Fork W x L	Platform 22" x 22"	Fork 3" x 18"
Lift Height	54"	54"
Load Center	10"	10"
Lowered Height	5.75"	5.75"
Weight	175 lbs	181 lbs



4-Wheeled Pedalift
Part #260197
Model #SSDPL-54-F

WESCO 304 STAINLESS STEEL HYDRAULIC DRUM LIFTER

- **1 Year Parts Warranty.**
- **Wesco Manufactured Hydraulic Jack - Over 40 Years of Proven Quality.**
- **Lifts, transports, and places drums on spill or standard pallets.**
- **304 stainless auto grab drum clamp with manual lock down knob.**
- **304 stainless steel construction including hydraulic pump body, lift piston, and floor lock. Foot operated hydraulic pump raises drum, foot release lowers drum and controls lowering speed.**
- **(2) 5" x 2" black phenolic wheels with 304 stainless roller bearing.**
- **(2) 304 stainless swivel casters with 5" x 2" black phenolic wheels, 304 stainless bearings, NSF certified washdown casters.**
- **Handles most 30, 55 or 85 gallon drums - Steel, Fiber and Poly.**
- **Works with most drums with locking rings.**
- **Lift range: 26"-73" at lifting clamp.**
- **Single position outriggers - non-telescoping.**



Drum Handler
Part #240240 / Model #SSDH



Part #	240240
Model #	SSDH
Capacity	800 lbs
Rise/Stroke	1"
Weight	207 lbs

WESCO 304 STAINLESS STEEL DRUM/HAND TRUCK

- **304 stainless** steel construction.
- Utility of a hand truck & drum truck.
- Chime hook works with 55 and 30 gallon drums.
- Curved frame holds 5-gallon pails and kegs.
- With noseplate resting flat on floor, 18" to center of lowered chime hook.
- Noseplate 7.812" D x 14" W.
- 8" x 2" polyurethane tread on polypropylene hub, non-marking wheels with **440 stainless** sealed 3/4" precision ball bearing.



Drum / Hand Truck
Part #210352 / Model #156DH-PP8-SS

Part # Model #	210351 156-PP8-SS	210352 156DH-PP8-SS
Capacity	600 lbs	600 lbs
Wheel Type	8" non-marking	8" non-marking
Weight	33 lbs	33.5 lbs

WESCO 304 STAINLESS STEEL HAND TRUCK

- **304 stainless** steel construction.
- Swept back continuous handle with curved back design.
- Versatile frame design allows one or two hand control.
- Four horizontal cross straps and vertical center strap provide support for small packages.
- 8" x 2" polyurethane tread on polypropylene hub, non-marking wheels with **440 stainless** sealed 3/4" precision ball bearing.



Hand Truck
Part #210351 / Model #156-PP8-SS

WESCO 304 STAINLESS STEEL FOLDING HANDLE TRUCK

- **304 stainless** steel construction.
- Fold down handle for easy storage.
- Caster: sealed bearing with stainless rig.
- TPR rubber non-marking caster wheels.
- Vinyl perimeter bumper.
- Boxed and UPS shippable.

Part # Model #	270457 Deluxe	270458 Deluxe
Capacity	440 lbs	770 lbs
Platform Size	19" x 29"	22.5" x 34"
Caster Size	2 swivel/2 rigid 4" Stainless Rigs	2 swivel/2 rigid 4" Stainless Rigs
Handle Height	34.5"	34"
Weight	26 lbs	37 lbs

Folding Handle Truck
Part #270458



WESCO HEAVY DUTY 304 STAINLESS STEEL FAUCET

- **304 stainless steel.**
- Adjustable shank designed to easily adjust to proper drain position after installing in drum.
- .75" NPT connection.
- PTFE gasket.
- 1.50 lbs.



Part# 272038

Internal flame arrestor.
FM APPROVED for use with oils (under 30 SAE) and non flammables, compatible with stainless steel.

WESCO 304 STAINLESS STEEL DRUM DOLLIES

- **Wesco's Stability Advantage.**
By design, Wesco casters are mounted past the dolly and drum rim. Our casters are mounted further apart than standard designs with casters completely underneath the drum and closer together. The further the casters are apart the greater the stability.
- Welded **304 stainless steel** dolly construction with reinforced outriggers.
- **304 stainless dollies** are ideal for clean room, pharmaceutical, food, and wash down applications.
- Models available for 30, 55, and 85 gallon drums.
- Three caster set options:
HRZ: zinc plated swivel rig with 3" hard rubber wheel & zinc plated hardware.
***HRSS:** **304 stainless steel** swivel rig with 3" hard rubber wheel and stainless hardware.
***PPSS:** **304 stainless steel** swivel rig with 3" white polypropylene wheel and stainless hardware.

*Suitable for wash down applications.

WESCO 304 STAINLESS STEEL ROTARY PUMP

- Made from corrosion resistant materials
- **304 stainless steel** pump body.
- **304 stainless steel** dispensing spout.
- **304 stainless steel** 3 piece suction tube.
- PTFE vanes.
- UPS shippable.
- Compatible fluids: solvents, oils, mild corrosives.
- Min./ Max. temperature rating: 40° Fahrenheit / 140° Fahrenheit.
- 2" NPT Bung Adapter fits 15, 30 and 55 gallon drums.
- **ALWAYS USE A GROUND WIRE.**
- Weight: 13 lbs.




272397



Drum Dolly
 Part #240197 / Model #SS5-PPSS
All stainless rigs with 3" polypropylene wheels

CASTER MOUNTED BEYOND DRUM AND DOLLY RIM FOR GREATER STABILITY



Part #	240192	240193	240194
Model #	SS3-HRZ	SS3-HRSS	SS3-PPSS
Capacity	900 lbs	900 lbs	1,000 lbs
I.D.	19"	19"	19"
Drum Size	30 gal	30 gal	30 gal
Caster Rig	Zinc plate 4 swivel	Stainless 4 swivel	Stainless 4 swivel
3" Caster Wheel	Hard Rubber	Hard Rubber	White Polypropylene
Dolly Material	304 Stainless	304 Stainless	304 Stainless
Weight	20 lbs	20 lbs	18 lbs

Part #	240195	240196	240197	240198	240199	240200
Model #	SS5-HRZ	SS5-HRSS	SS5-PPSS	SS8-HRZ	SS8-HRSS	SS8-PPSS
Capacity	900 lbs	900 lbs	1,000 lbs	900 lbs	900 lbs	1,000 lbs
I.D.	24"	24"	24"	27"	27"	27"
Drum Size	55 gal	55 gal	55 gal	85 gal	85 gal	85 gal
Caster Rig	Zinc plate 4 swivel	Stainless 4 swivel	Stainless 4 swivel	Zinc plate 4 swivel	Stainless 4 swivel	Stainless 4 swivel
3" Caster Wheel	Hard Rubber	Hard Rubber	White Polypropylene	Hard Rubber	Hard Rubber	White Polypropylene
Dolly Material	304 Stainless	304 Stainless	304 Stainless	304 Stainless	304 Stainless	304 Stainless
Weight	22 lbs	22 lbs	21 lbs	24 lbs	24 lbs	23 lbs

WESCO STAINLESS STEEL KNOCKDOWN (KD)DRUM TRUCKS


- **US Patent No. 9,302,688.**
- **UPS shippable - KD and boxed.**
- **Two models: 304 stainless construction to handle steel and poly drums.**
- **Handles 30, 55 and 85 gallon drums.**
- **Requires minimal assembly.**
- **All parts removable and interchangeable among all models.**
- **Each of the models includes handle, frame, base, kickstand, axle, toes or feet, wheel, chime hook or belt and hardware.**
- **Foot operated break-over assist bar provides extra leverage to tilt and balance the load.**
- **Stainless models okay for wash down.**
- **Optional 3rd Wheel (#240211):**
 - Allows load to stand in tilted position.
 - Ergonomic design, better maneuverability.
 - Better load support.
 - Helps reduce breakover effort.
 - 5" x 2" swivel caster.
 - 14 lbs.
- **Milled toes are hard-faced, double-beveled.**



Part #240019
Model #KD-SS-STL-PO
Shown with optional
3rd wheel



OPTIONAL 3RD WHEEL #240211



Part #240020 WITH
(Part #240211)
OPTIONAL 3RD
WHEEL
304 Stainless Steel

Part # Model #	240019 KD-SS-STL-PO	240020 KD-SS-POLY-PO
Capacity	1,000 lbs	1,000 lbs
Wheel	10" Polyolefin	10" Polyolefin
Drum Type Handled	Steel	Poly
Toe/Foot (replaceable)	Stainless Milled Toe #051904	Stainless Foot #050362
Construction	304 Stainless	304 Stainless
Chime Hook	#050197- stainless	N/A
Belt	N/A	#240213 - stainless buckle
Weight	66 lbs	75 lbs

WESCO 304 STAINLESS STEEL UNIVERSAL DRUM LIFTER

- **304 stainless steel construction.**
- **Design allows for the loading of drums into overpacks with use of hoist.**
- **Works on open and closed head drums.**
- **For use with standard steel or poly drums with at least a 3/16" chime.**
- **Lifting arms are adjustable to work with most 55 or 30 gallon drums.**
- **Three-point contact of the lifting arms prevents or minimizes deformation of the drum and provides more secure lifting.**
- **1,000 lb. capacity.**
- **Weight 21 lbs.**



Universal Drum Lifter
Part #240063 / Model #UDL-SS

Distributed by:

WESCO[®]
Industrial Products, Inc.

1250 Welsh Rd., North Wales, PA 19454
Phone: 215-699-7031
Fax: 215-699-3836
<http://www.wescomfg.com>

For more details on this equipment or for information regarding any of the products available from WESCO Industrial products, Inc., please contact your authorized dealer. Part #179021